RES 2023-10046 Page 1 of 26

VILLAGE OF DOWNERS GROVE Report for the Village 10/3/2023

| SUBJECT: | SUBMITTED BY: |
|---|-------------------------------|
| Authorization for the Purchase of a Replacement Engine/Pumper | Scott Spinazola Fire Chief |

SYNOPSIS

A Resolution has been prepared to authorize the execution of an agreement with MacQueen Emergency for the purchase of a 2026 Pierce Impel Pumper Apparatus (Pierce Engine/Pumper) in the amount of \$1,009,548.00 plus a \$100,000.00 contingency for a total not to exceed amount of \$1,109,548.00, and to authorize the disposal of the Village's current 2008 Pierce Engine/Pumper.

STRATEGIC PLAN ALIGNMENT

The goals for 2023-2025 include Steward of Financial, Environmental and Neighborhood Sustainability.

FISCAL IMPACT

The final purchase price for the Pierce Engine/Pumper is \$1,109,548.00, which includes a \$100,000.00 contingency. The amount of this purchase will be included in the proposed FY26 budget, when it is anticipated the Village will take possession of and pay for the Pierce Engine/Pumper. The funding plan for the Equipment Fund anticipates this purchase in FY26.

RECOMMENDATION

Approval on the October 3, 2023 Consent Agenda.

BACKGROUND

The Village purchased its current Pierce Engine/Pumper in 2008. The pumper is an essential apparatus and serves multiple functions including but not limited to EMS responses, carry tools for fire suppression activities, pumping water from a stored tank or from a fire hydrant through the use of fire hose and/or relaying water to other fire apparatus. The pumper will be located at Station 105 at 6701 Main Street to optimize its response time. Once this engine is delivered the Village will dispose of the 2008 Pierce Engine/Pumper.

ATTACHMENTS

Resolution Agreement

VILLAGE OF DOWNERS GROVE COUNCIL ACTION SUMMARY

| INITIATED: Public Works (Name) | DATE: October 3, 2023 |
|---------------------------------------|--|
| RECOMMENDATION FROM: _ | (Board or Department) FILE REF: |
| NATURE OF ACTION: | STEPS NEEDED TO IMPLEMENT ACTION: |
| Ordinance | Motion to Adopt "A RESOLUTION AUTHORIZING EXECUTION OF AN AGREEMENT BETWEEN |
| X Resolution | THE VILLAGE OF DOWNERS GROVE AND |
| Motion | MACQUEEN EQUIPMENT, LLC FOR THE PURCHASE OF A FIRE APPARATUS", as |
| Other | presented. |
| SUMMARY OF ITEM: | U V |
| \$1,009,548.00 plus a \$100,000.00 co | ze a contract for the Fire Department Engine in the amount of ntingency for a total not to exceed amount of \$1,109,548.00, 'illage's current 2008 Pierce Engine/Pumper. |
| RECORD OF ACTION TAKEN: | |
| | |
| | |
| | |

1\mw\cas.23\FD-Fire Engine

RES 2023-10046 Page 3 of 26

A RESOLUTION AUTHORIZING EXECUTION OF AN AGREEMENT BETWEEN THE VILLAGE OF DOWNERS GROVE AND MACQUEEN EQUIPMENT, LLC FOR THE PURCHASE OF A FIRE APPARATUS

BE IT RESOLVED by the Village Council of the Village of Downers Grove, DuPage County, Illinois, as follows:

- 1. That the form and substance of a certain Agreement (the "Agreement"), between the Village of Downers Grove (the "Village") and MacQueen Emergency ("MACQUEEN"), for a 2026 Pierce Impel Pumper ("Apparatus"), as set forth in the form of the Agreement submitted to this meeting with the recommendation of the Village Manager, is hereby approved.
- 2. That the Village Manager and Village Clerk are hereby respectively authorized and directed for and on behalf of the Village to execute, attest, seal and deliver the Agreement, substantially in the form approved in the foregoing paragraph of this Resolution, together with such changes as the Manager shall deem necessary.
- 3. That pursuant to the home-rule powers of the Village, and the Illinois Municipal Code (65 ILCS 5/11-76-4) the Village Council finds that the 2008 Pierce Pumper now owned by the Village of Downers Grove will no longer be necessary or useful to the Village and hereby declared surplus. The best interests of the Village will be served by its sale or disposition after delivery and acceptance of the new 2026 Pierce Impel Pumper.
- 4. That the Village Manager is authorized and directed to dispose of the 2008 Pierce Pumper now owned by the Village of Downers Grove in accordance with the terms of Section 2.35 and 2.35.1 of Downers Grove Municipal without further authorization from the Village Council.
- The Village Manager is hereby authorized and directed to convey and transfer title to the 2008
 Pierce Pumper upon acceptance of the new 2026 Pierce Impel Pumper.
- 6. That all resolutions or parts of resolutions in conflict with the provisions of this Resolution are hereby repealed.

| 7. | That this Resolution shall | be in full force and effect from and after | er its passage as provided |
|---------|----------------------------|--|----------------------------|
| by law. | | | |
| D 1 | | Mayor | |
| Passed: | | | |
| Attest: | | | |
| | Village Clerk | | |
| | - | | |
| | | | |
| | | | |

 $1\\mw\\res.23\\FD-Pumper$

RES 2023-10046 Page 5 of 26

AGREEMENT BETWEEN THE VILLAGE OF DOWNERS GROVE AND MACQUEEN EQUIPMENT, LLC. FOR THE PURCHASE OF A FIRE APPARATUS

This Agreement is made this _____ day of October, 2023 by and between MacQueen Equipment, LLC., a Delaware corporation d/b/a MacQueen Emergency ("MACQUEEN") and the Village of Downers Grove, Illinois, an Illinois municipal corporation with offices at 801 Burlington Avenue, Downers Grove, Illinois 60515, ("Village" or "Purchaser").

WHEREAS, the Village became a member of the Houston-Galveston Area Council ("H-GAC"), which is a regional planning commission and political subdivision of the State of Texas; and

WHEREAS, H-GAC has instituted a cooperative purchasing program which includes many contractors from which to purchase goods and services; and

WHEREAS, MACQUEEN is an approved H-GAC contractor; and

WHEREAS, the Village wishes to purchase a fire apparatus from MACQUEEN through the H-GAC cooperative purchasing program; and

WHEREAS, MACQUEEN is willing to manufacture and sell to the Village the below specified fire apparatus for compensation and in accordance with the terms and conditions described in this Agreement.

NOW, THEREFORE, in consideration of the mutual benefits that will result to the parties in carrying out the terms of this Agreement, it is agreed as follows:

- 1. Recitals. The provisions set forth in the recitals are incorporated into and made a part of this Agreement.
- **2. Scope.** MACQUEEN shall manufacture and sell to the Village a 2026 Pierce Impel Pumper ("Apparatus") in accordance with the specifications attached hereto and incorporated herein as Exhibit A.
- **3. Payment.** The Village shall pay to MACQUEEN ONE MILLION NINE THOUSAND FIVE HUNDRED FORTY-EIGHT Dollars and No Cents (\$1,009,548.00) for the Apparatus. Any additional work performed that will increase the agreement price in excess of this amount must be approved in writing by both parties. The Village shall pay MACQUEEN the full purchase price within twenty (20) days following final inspection and acceptance by the customer, or upon

RES 2023-10046

delivery to Downers Grove. The Village is exempt from Illinois sales or use tax for direct purchases of materials and supplies.

Page 6 of 26

- **4. Delivery.** Delivery of the Apparatus shall be F.O.B. Downers Grove, Illinois within 38 months of execution of this Agreement. MACQUEEN shall not be held liable for damages for failure to make delivery as a result of fire, flood, riots, strikes, chassis shortages, or delays caused by its suppliers, any act of God, or any other circumstances beyond the control of MACQUEEN.
- 5. Inspection. During the manufacturing of the Apparatus, the Village shall have a right to inspect, by its authorized representative, any material, components or workmanship as herein specified. Materials, components or workmanship that have been rejected by the Village as not in accordance with the terms of the contract specifications shall be replaced by MACQUEEN at no cost to the Village. The Village shall then inspect the completed Apparatus upon delivery and shall give written notice of any defects within thirty (30) business days. The Apparatus shall be deemed accepted if the Village fails to give such notice.
- 6. Performance Bond. MACQUEEN shall provide a Performance Bond, in a form approved by the Village, to the Village in an amount equal to the full purchase price upon execution of this Agreement. The Village agrees that the bond shall be deemed fully released upon the Village's acceptance of the Apparatus and the warranty period shall commence to cover the apparatus.
- 7. Warranties. The Apparatus and all its components shall be warranted as set forth in the specifications attached as Exhibit A. Warranties shall become effective upon final acceptance by the Village. In addition to said warranties, in the event the Apparatus is out of service, through no fault of the Village, for fifty percent (50%) or more of the time within eighteen (18) months from the date of delivery to the Village, the Village shall have the option to return the apparatus to MACQUEEN and MACQUEEN shall be required to accept the return of the Apparatus and reimburse the Village for the full purchase price within thirty (30) days of a demand therefor.

RES 2023-10046 Page 7 of 26

8. Copyright or Patent Infringement. MACQUEEN agrees to indemnify, defend, and hold harmless the Village against any suit, claim, or proceeding brought against the Village for alleged use of any equipment, components, systems, or services provided by MACQUEEN that constitutes a misuse of any proprietary or trade secret information or an infringement of any patent or copyright.

- **9. Indemnification.** MACQUEEN shall indemnify and hold harmless the Village and its officers, employees and agents from any and all liability, losses or damages the Village may suffer as a result of claims, demands, suits, actions or proceedings of any kind or nature in any way resulting from or arising out of negligent action on the part of MACQUEEN under this Agreement. This provision shall survive termination of this Agreement.
- **10. Equal Employment Opportunity.** During the performance of this Agreement, the Consultant agrees as follows:
 - 1. That it will not discriminate against any employee or applicant for employment because of race, color religion, sex, marital status, national origin or ancestry, age, physical or mental handicap unrelated to ability, or an unfavorable discharge from military service; and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization.
 - 2. That, if it hires additional employees in order to perform this Agreement or any portion thereof, it will determine the availability (in accordance with the Department's Rules and Regulations) of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.
- 11. Sexual Harassment. MACQUEEN, as a party to a public contract, certifies that it has a written sexual harassment policy.
- 12. Drug Free Work Place. MACQUEEN, as party to a public contract, certifies and agrees that it has a drug free workplace policy and will provide a drug free workplace.

13. Non-Discrimination. Consultant, its employees and subconsultants, agree not to commit unlawful discrimination and agree to comply with applicable provisions of the Illinois Human Rights Act, the Public Works Employment Discrimination Act, the U.S. Civil Rights Act and Section 504 of the Federal Rehabilitation Act, and rules applicable to each. The equal opportunity clause of the Department of Human Rights rules is specifically incorporated herein.

The Americans with Disabilities Act (42 U.S.C. 12101) and the regulations thereunder (28 CFR 35.130)(ADA) prohibit discrimination against persons with disabilities by the State, whether directly or through contractual arrangements, in the provision of any aid, benefit or service. As a condition of receiving this Agreement, the undersigned vendor certifies that services, programs and activities provided under this Agreement are and will continue to be in compliance with the ADA.

- **14.** Campaign Disclosure Certificate. MACQUEEN shall comply with the Campaign Disclosure Certificate attached hereto and incorporated herein by reference as Exhibit B.
- 15. Patriot Act Compliance. MACQUEEN represents and warrants to the Village that neither it nor any of its principals, shareholders, members, partners, or affiliates, as applicable, is a person or entity named as a Specially Designated National and Blocked Person (as defined in Presidential Executive Order 13224) and that it is not acting, directly or indirectly, for or on behalf of a Specially Designated National and Blocked Person. MACQUEEN further represents and warrants to the Village that MACQUEEN and its principals, shareholders, members, partners, or affiliates, as applicable are not, directly or indirectly, engaged in, and are not facilitating, the transactions contemplated by this Agreement on behalf of any person or entity named as a Specially Designated National and Blocked Person. MACQUEEN hereby agrees to defend, indemnify and hold harmless the Village, and its elected or appointed officers, employees, agents, representatives, engineers and attorneys, from and against any and all claims, damages, losses,

risks, liabilities and expenses(including reasonable attorney's fees and costs) arising from or related to any breach of the foregoing representations and warranties.

- **16.** Cooperation with FOIA Compliance. MACQUEEN acknowledges that the Freedom of Information Act may apply to public records in possession of the Consultant. Consultant shall cooperate with the Village in its efforts to comply with the Freedom of Information Act. 5 ILCS 140/1 et. seq.
- 17. Governing Law. This Agreement will be governed by and construed in accordance with the laws of the State of Illinois. Venue is proper only in the County of DuPage, Illinois.
- 18. Successors and Assigns. The terms of this Agreement will be binding upon and inure to the benefit of the parties and their respective successors and assigns; provided, however, that neither party will assign this Agreement in whole or in part without the prior written approval of the other.
- 19. Waiver of Contract Breach. The waiver by one party of any breach of this Agreement or the failure of one party to enforce at any time, or for any period of time, any of the provisions hereof will be limited to the particular instance and will not operate or be deemed to waive any future breaches of this Agreement and will not be construed to be a waiver of any provision except for the particular instance.
- **20. Amendment.** This Agreement will not be subject to amendment unless made in writing and signed by both parties.
- 21. Severability of Invalid Provisions. If any provisions of this Agreement are held to contravene or be invalid under the laws of any state, country or jurisdiction, contravention will not invalidate the entire Agreement, but it will be construed as if not containing the invalid provision and the rights or obligations of the parties will be construed and enforced accordingly.

RES 2023-10046 Page 10 of 26

22. Disadvantaged Business Enterprise (DBE) Certification. Pursuant to 35 ILCS 200/18-50.2, Company and all subcontractors are required to complete and submit a Vendor DBE certification, regardless of DBE status. Company shall complete and require all its subcontractors to complete the DBE certification for this project at www.downers.us/vss. The information necessary for the Company and all subcontractors to complete the certification includes the following: DBE Classification (minority-owned, women-owned, persons with disabilities-owned, veteran-owned, or none); if DBE, whether the company holds a certificate or self-certifies; if self-certifying, whether the company qualifies as a small business under the U.S. Small Business Administration standards; the company's name, address, city, state and zip code; company's contact person's name, title, telephone number and email address. NO PAYMENTS WILL BE MADE TO THE COMPANY BY THE VILLAGE UNLESS AND UNTIL ALL OF THE CERTIFICATIONS FOR THE COMPANY AND SUBCONTRACTORS HAVE BEEN COMPLETED.

23. Notice. Any notice will be in writing and will be deemed to be effectively served when deposited in the mail with sufficient first class postage affixed, and addressed to the party at the party's place of business. Notices shall be addressed to designated representatives of both parties as follows:

Village Manager Village of Downers Grove 801 Burlington Ave. Downers Grove, IL 60515

MacQueen Equipment, LLC 1125 7th Street East St. Paul, MN 55106

24. Future Changes. Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting

cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. There will be a \$10,000 cap on the amount of increase resulting from the PPI inflation. Customer shall be notified of any possible increase at least fourteen (14) months prior to anticipated delivery of the apparatus. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

25. Agreement Changes. The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

26. Cancellation/Termination. In the event this Agreement is cancelled or terminated by the Customer before completion (outside of terms listed in section 24), MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser. The current estimated lead time for completion is 35-38 months. Should the completion date exceed four (4) months past the current estimated lead time or MacQueen is otherwise in breach of this Agreement, the Customer has the ability to cancel without penalty, with the exception of Customer changes that may delay delivery as outlined in section 25.

IN WITNESS WHEREOF, the Parties have executed this Agreement on the date indicated above.

Village of Downers Crove

| wracQueen Equipment, LLC | village of Downers Grove | | |
|--------------------------|--------------------------|--|--|
| By: Grea Hinkers | By: | | |
| Title: VP Sales - IL/IN | Title: | | |
| Date: 9/25/2023 | Date: | | |

2/word/agreement/piercemacqueenfirepumper

MacQueen Fauinment IIC

RES 2023-10046 Page 13 of 26

Exhibit A

Specifications

Page 14 of 26



Option List

Bid Number:

Job Number:

Stock Number:

Bid Date:

9/13/2023

1169

07/28/2023

Downers Grove Fire Department, Village of Customer:

Representative Kenna, John

MacQueen Emergency Group **Number of Units:** Organization: 1

Requirements Manager:

Description: Impel 70" Cab 750 Water ISL Engine (FT)

46 (Current: 46) Body: Pumper, Medium, Aluminum, 2nd Gen Price Level: Lane: Lane 1

Chassis: Impel Chassis, 2010

| Cilassis. | | imper Griassis, 2010 Lane. | Lane |
|------------------|------|--|------|
| Line Option | Type | Option Description | Qty |
| 1 0010012 | | No Boiler Plates requested | 1 |
| 2 0661794 | | Single Source Compliance | 1 |
| 3 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 0588609 | | Vehicle Destination, US | 1 |
| 6 0670275 | | Unit to be Similar in some Aspects, Excluding Pump Panel | 1 |
| 7 0764706 | SP | Fill in Blank - For Engineering Purpose Only, similar to job 33409 BMP Truck- Pre-Approval at Bid - Approved Option Will be Required at Booking | 1 |
| 8 0610784 | O. | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | . 1 |
| 9 0533347 | | Pumper/Pumper with Aerial Device Fire Apparatus | 1 |
| 10 0588611 | | Vehicle Certification, Pumper | 1 |
| 11 0661778 | | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 |
| 12 0891947 | | Certification, Vehicle Inspection Program, NFPA 1901 | 1 |
| 13 0766110 | | Consortium, Sourcewell | 1 |
| 14 0537375 | | Unit of Measure, US Gallons | 1 |
| 15 0529326 | | Bid Bond, 10%, Pierce Built Chassis | 1 |
| 16 0807703 | | Performance Bond, Not Requested | 1 |
| 17 0000007 | | · | 1 |
| 18 0002928 | | Approval Drawing | 1 |
| | | Electrical Diagrams | 1 |
| 19 0597579 | | Impel Chassis, 2010 | 1 |
| 20 0000110 | | Wheelbase | 1 |
| 21 0000070 | | Wheelbase - 187.50" GVW Rating | 1 |
| 22 222222 | | GVW rating - 43,500# | 4 |
| 22 0000203 | | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF | 1 |
| 23 0020018 | | Frame Liner Not Req'd | 1 |
| 24 0643028 | | Axle, Front, Dana D-2000F, 19,500 lb, w/o assist | 1 |
| 25 0122218 | | Suspension, Front, Standens, Taper Leaf, 19,500 lb, Imp/Vel | 1 |
| 26 0000319 | | Shock Absorbers on Front Axle, Qtm/AXT/Imp/Vel | 1 |
| 27 0000322 | | Oil Seals, Front Axle | 1 |
| 28 0582936 | | Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply | 1 |
| 29 0750833 | | Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Dura-Black, Hub Pilot | 1 |
| 30 0530464 | | Axle, Rear, Meritor RS24-160, 24,000 lb, Imp/Vel/Dash CF | 1 |
| 31 0544253 | | Top Speed of Vehicle, 68 MPH /109 KPH | 1 |
| 32 0122076 | | Suspen, Rear, Standens, Spring, 24,000 lb, Imp/Vel | 1 |
| 33 0000485 | | Oil Seals, Rear Axle | 1 |
| 34 0585004 | | Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single | 1 |
| 35 0752587 | | Wheels, Rear, Alcoa, 22.50" x 9.00", Alum-Stl, Dura-Black, Hub Pilot, Single | 1 |
| 36 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 37 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6 | 1 |
| 38 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 39 0646362 | | Chocks, Wheel, Worden HWGY- SB, Super Gripper | 1 |
| | | Qty, Pair - 01 | |
| 40 0646364 | | Mounting Brackets, Chocks, Worden Safety, Model U815T Location, Wheel chock - in a comartment TBD | 1 |
| | | Qty, Pair - 1 | |
| 41 0010670 | | ABS Wabco Brake System, Single rear axle | 1 |
| 42 0690932 | | Brakes, Bendix, ADB-22X, 17" Disc, Front | 1 |
| 43 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 44 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 9/13/2023 9:44 A | \N/ | Bid #: 1169 | |
| | | | |

| l ine | Option | Туре | Option Description | Qty |
|-------|---------|-------|---|-----|
| | 0000785 | ı ype | Brake Reservoirs, Three | 1 |
| | 0568012 | | Air Dryer, Wabco System Saver 1200, Heater, 2010 | 1 |
| 47 | 0000790 | | Brake Lines, Nylon | 1 |
| | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| | 0810946 | c== | Engine, Cummins X10, 450 hp, 1650 lb-ft, W/OBD, EPA 2027, Imp/Vel | 1 |
| | 0000000 | STF | Not Required | 1 |
| _ | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 52 | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine | 1 |
| 53 | 0552334 | | Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo Clutch, Fan, Air Actuated, Horton Drive Master | 1 |
| | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 |
| | 0814375 | | Exhaust System, Horizontal, Right Side | 1 |
| 00 | 0011010 | | Exhaust, Diffuser - 6.00" S/S (Premium) | • |
| | | | Exhaust, Material/Finish - Aluminized Steel (Standard) | |
| | | | Location, Diffuser Termination - Flush With Rub Rail | |
| | | | Tip, Exhaust - Straight Tip (Standard) | |
| | 0787999 | | Radiator, Impel/Velocity | 1 |
| | 0511425 | | Cooling Hoses, Rubber | 1 |
| | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| | 0001129 | | Lines, Fuel DEF Tank 4.5 Callon, DS Fill Forward of Poor Avia | 1 |
| 60 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| 61 | 0723716 | | Door, Material & Finish, DEF Tank - Painted Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd | 1 |
| | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 |
| | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| | 0011125 | | Door, Fuel Fill Painted Job Color | 1 |
| | | | Qty, - 01 | • |
| 65 | 0690880 | | No Selection Required From This Category | 1 |
| 66 | 0887546 | | Trans, Allison 6th Gen, 4000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf | 1 |
| 67 | 0625330 | | Transmission, Shifter, 5-Spd, Push Button, 4000 EVS | 1 |
| | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| | 0024895 | | Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 5 speed | 1 |
| | 0001375 | | Driveline, Spicer 1810 | 1 |
| | 0669989 | | Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler | 1 |
| | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 |
| | 0621843 | | Steering Wheel, 4 Spoke without Controls, Impel | 1 |
| | 0559647 | | Pierce Logo on Horn Button | 1 |
| | 0536235 | | Bumper, 19" Extended, Steel Painted, Imp/Vel | 1 |
| 76 | 0616492 | | Tray, Hose, Center, 19" Bumper, Outside Air Horns, Imp/Vel | 1 |
| | | | Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - 21) 150' of 1.75" | |
| 77 | 0630813 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | • |
| 78 | 0510226 | | Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 |
| 79 | 0002270 | | Tow Hooks, Chrome | 1 |
| 80 | 0698960 | | Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black | 1 |
| 81 | 0668322 | | Cab, Impel FR, 7010 Raised Roof | 1 |
| 82 | 0724237 | | Engine Tunnel, ISL, Mech Fasteners, Impel/Velocity FR | 1 |
| | 0677478 | | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 |
| | 0122466 | | Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel | 1 |
| 85 | 0751126 | | Grille, Bright Finished, Painted Mesh Screen, Front of Cab, Impel/Velocity | 1 |
| 86 | 0646179 | | Paint Color, Grille Mesh - Black #101 Trim, S/S, Rect Headlights, VEL/IMP | 1 |
| | | | Material Trim/Scuffplate - b) S/S, Brushed | |
| | 000707- | | Turnsignal Covers - Polished S/S Covers | |
| | 0087357 | | Molding, Chrome on Side of Cab | 1 |
| | 0590424 | | Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex, Black | 1 |
| 89 | 0667942 | | Door, Half-Height, Impel FR 4-Door Cab, Raised Roof | 1 |
| | | | Key Model, Cab Doors - 751 Cab Exterior Door Handle, Finish - 4-Door, Black | |
| | | | Cab, Exterior Door Handle, Finish - 4-Door, Black | |

| Line Option | Type Option Description | Qty |
|--------------------|---|-----|
| 90 0655511 | Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab | 1 |
| 91 0667905 | Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocity FR | . 1 |
| 92 0667902 | Controls, Electric Windows, All Cab Doors, Impel/Velocity FR | 1 |
| 93 0565651 | Steps, 4-Door Full Tilt Cab, Grip Strut Inserts, Imp/Vel | 1 |
| 94 0770213 | Handrail, Exterior, Brey-Krause, 24" Formed, S/S, Coat Hook, 4-Door Cab | 1 |
| 95 0892637 | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step | 1 |
| | Color, Trim - Chrome Housing | |
| 96 0541830 | Crowns, Front Fender, Rubber, AXT/VEL/IMP | 1 |
| 97 0603144 | Window, Side of C/C, Fixed, Impel | 1 |
| 98 0552941 | Not Required, Trim, Cab Side Windows, Impel | 1 |
| 99 0012090 | Not Required, Windows, Front/Side of raised roof | 1 |
| 100 0509286 | Not Required, Windows, Frontvoide of Falsed Tool Not Required, Windows Rear of Crew Cab, Imp/Vel | 1 |
| 101 0558334 | Not Required, Windows Rear Windows, No Rear Windows | 1 |
| 102 0123686 | • | 1 |
| | Drip Rail, Cab Roof, Impel/Velocity/Velocity SLT | |
| 103 0798597 | Holder, Cup, Cab/Crewcab, Each, Loc | 2 |
| | Location - driver and officer side of cab, top of engine tunnel. | |
| 404 0000000 | Qty, - 02 | 4 |
| 104 0663383 | Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Vel/Imp | 1 |
| | Mounting Provision Spacing75" | |
| 105 0740600 | Material Finish, Cab Interior - Painted | 4 |
| 105 0748680 | Cab Interior, Vinyl, Painted Walls, Imp/Vel FR, CARE | 1 |
| | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black | |
| 106 0667042 | Cab Interior Rear Wall Material - Painted Aluminum | 4 |
| 106 0667943 | Cab Interior, Paint Color, Impel/Velocity FR | 1 |
| 107 0500533 | Color, Cab Interior Paint - i) fire smoke gray | 4 |
| 107 0509532 | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF | 1 |
| 108 0741239 | HVAC, Impel/Velocity FR, CARE | 1 |
| | Paint Color, A/C Condenser - Painted to Match Cab Roof | |
| | HVAC System, Filter Access - Removable Panel | |
| 100 0022005 | Auxiliary Cab Heater - Both | 4 |
| 109 0032085 | Fans, Window Defrost, Two (2), Location Feature | 1 |
| 440 0004050 | Location - driver and office | 4 |
| 110 0624056 | Sun Visor, Dark Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer | 1 |
| 444 0540057 | Sun Visor Retention - Thumb Latch | 4 |
| 111 0543257 | Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel | 1 |
| 112 0583938 | Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim | 1 |
| | Qty, - 01 | |
| 113 0122516 | Fluid Check Access, Imp/Vel | 1 |
| | Latch, Door, Storage - Southco C2 Black Flush | |
| 114 0583042 | Side Roll and Frontal Impact Protection | 1 |
| 115 0622619 | Seating Capacity, 4 Seats | 1 |
| 116 0697008 | Seat, Driver, Pierce PS6, Base, Air Ride, High Back, Safety | 1 |
| 117 0696994 | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety | 1 |
| 118 0002517 | Not Required, Radio Compartment | 1 |
| 119 0122183 | Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety | / 1 |
| 120 0102783 | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 121 0122186 | Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety | , 1 |
| 122 0108189 | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 123 0783636 | Cabinet, Forward Facing, Center, 42 W x 56 H x 14 D, Web, Imp/Vel | 1 |
| 0 0.0000 | Type of fastener - 1" cam buckle | |
| | False Floor, EMS Cabinet - False Floor, Vented Storage | |
| | Restraint Location - Bottom (towards the ground) | |
| | Material Finish, Shelf - Painted - Cab Interior | |
| | Shelf/Tray, Cabinet - (2) Shelves, Adjustable 1.25" Flange Down | |
| | Light, Tall Cabinet - Amdor H2O, Interior, Left Side | |
| | Louvers, Cabinet - 0-No Louvers | |
| 124 0108190 | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 125 0566653 | Upholstery, Seats In Cab, Turnout Tuff | 1 |
| 0 000000 | Color, Cab Interior Vinyl/Fabric - c) Black | ' |
| 126 0543991 | Bracket, Air Bottle, Hands-Free II, Cab Seats | 3 |
| .20 00 1000 1 | Qty, - 03 | 3 |
| 127 0603867 | Seat Belt, ReadyReach | 1 |
| .2. 5555501 | Seat Belt Color - Red | ' |
| 9/13/2023 9·44 Δ | | |
| 9/13/2023 U:/I/I A | AIVI DIU #. TTUJ | |

| ine Option | Туре | Option Description | Qty |
|---|------|---|-----|
| 128 0604867 | | Seat Belt Height Adjustment, 4 Seats, Imp/Vel, Dash CF | 1 |
| 129 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 130 0647647 | | Lights, Dome, FRP Dual LED 4 Lts | 1 |
| | | Color, Dome Lt - Red & White | • |
| | | | |
| | | Color, Dome Lt Bzl - Black | |
| | | Control, Dome Lt White - Door Switches and Lens Switch | |
| 104 0000454 | | Control, Dome Lt Color - Lens Switch | |
| 131 0896451 | | Enhanced Software for Cab and Crew Cab Dome Lts | 1 |
| 132 0631776 | | Not Required, Overhead Map Lights | • |
| 133 0602637 | | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification | |
| 134 0594554 | | Cab Instruments, Blk Gags, Blk Bez, Impel 2010 | |
| 135 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | |
| 136 0543751 | | Light, Do Not Move Apparatus | |
| 130 0343731 | | | |
| | | Alarm, Do Not Move Truck - Steady Alarm | |
| 137 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | • |
| 138 0611681 | | Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX | • |
| | | Location, Emerg Sw Pnls - Driver's Side Overhead | |
| 139 0555915 | | Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity | |
| 140 0548007 | | Wiring, Spare, 15 A 12V DC 3rd | |
| 140 0040007 | | | |
| | | Qty, - 01 | |
| | | 12vdc power from - Battery direct | |
| | | Wire termination - Butt Splice | |
| | | Location - coiled up on officer side of engine tunnel - for cust installed | |
| | | thermal imaging camera | |
| 141 0548006 | | Wiring, Spare, 15 A 12V DC 2nd | |
| | | Qty, - 01 | |
| | | 12vdc power from - Battery direct | |
| | | Wire termination - 10-Place Bus Bar w/Cover | |
| | | Location - behind officer seat | |
| 142 0548004 | | Wiring, Spare, 15 A 12V DC 1st | : |
| . 12 00 1000 1 | | | • |
| | | Qty, - 02 | |
| | | 12vdc power from - Battery direct | |
| | | Wire termination - Butt Splice | |
| | | Location, Spare Wiring - Officer Dash and over head officer side for radio | |
| 143 0797189 | | Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st | |
| | | Qty, - 01 | |
| | | 12vdc power from - Battery direct | |
| | | Location - Officer Dash | |
| 144 0803875 | | Radio, AM/FM/WB, Jensen, Frt, Rear Aux In/Frt, Rear USB/Bluetooth | |
| | | Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Body | |
| | | Antenna, AM/FM Radio - Roof-mounted rubber antenna LS | |
| | | Location, AM/FM Radio - b) within reach of the officer | |
| 145 0014601 | | | |
| 145 0814601 | | Vehicle Information Center,LCD On Gauge Cluster,7" Clr | |
| | | Disp,Touchscrn,Imp,CL714 | |
| | | Location, CZ Display - DS Instrument Panel, Impel Camera System | |
| 4.40.004.0000 | | System Of Measurement - US Customary | |
| 146 0816633 | | Collision Mitigation, HAAS Alert (R2V), HA7 | |
| | | Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription | |
| 147 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | |
| 148 0696439 | | Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area | |
| | | Qty, - 02 | |
| | | Location, Antenna Mount - Right Side | |
| 149 0816158 | | Camera, Pierce, LS Mux, RS, LS, R, Cameras, AHD | |
| 143 0010130 | | | |
| | | Color - 1) black | |
| | | Camera System Audio - Speaker Behind Driver Camera System | |
| 150 0814861 | | Camera, Switcher, Pierce, 4 channel, AHD, CVBS | |
| 151 0511071 | | Guard, 4-Way, Rear Vision Camera | |
| | | Qty, - 01 | |
| | | Location - over the camera at rear | |
| | | Pierce Command Zone, Advanced Electronics & Control System, Impel, WiFi CZT | |
| 152 0890427 | | Color, Antenna - Black Antenna | |
| 152 0890427 | | COLOR ANTENNA - RIACK ANTENNA | |
| 152 0890427 | | | |
| | | Module Housings - Black Housing with Power and Status Ind | |
| 152 0890427 153 0896456 154 0730601 | | | , |

| 3 2023 | | | | |
|--------|--------------------|------|--|--------|
| | Option | Туре | Option Description | Qty |
| | 0079166 | | Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| | 0123174 | | Battery Compartment, Imp/Vel | 1 |
| | 0812586 | | Charger, Sngl Sys, Kussmaul, Chief 091-266-12-60 | 1 |
| | 0814869 | OD | Location, Cab, Charger, Behind Driver Seat | 1 |
| 160 | 0888844 | SP | Inverter, Vanner IQ12-2600, 2600W, Non-NFPA | 1 |
| 404 | 0044045 | | Location, Inverter Switch - DS Cab | 4 |
| | 0814945 | | Location, Cab, Ind/Remote, Driver's Step Area | 1 |
| 162 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super | 1 |
| | | | Qty, - 01 | |
| | | | Color, Kussmaul Cover - b) red Shoreline Connection - Battery Charger | |
| 163 | 0026800 | | Shoreline Location | 1 |
| | 002000 | | Location, Shoreline(s) - DS Cab Side | • |
| 164 | 0647728 | | Alternator, 430 amp, Delco Remy 55SI | 1 |
| 165 | 0092582 | | Load Manager/Sequencer, MUX | 1 |
| | | | Enable/Disable Hi-Idle - e)High Idle enable | |
| 166 | 0783157 | | Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel | 1 |
| | | | Color, Headlight Bez - Chrome Bezel | |
| 167 | 0648425 | | Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF | 1 |
| | | | Color, Lens, LED's - m)match LED's | |
| 168 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 169 | 0648074 | | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts | 1 |
| 170 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 171 | 0804514 | | Lights, Tail, Wln M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg | 1 |
| | | | Color, Lens, LED's - Clear | |
| | | | Flash Pattern, Directional Lts - Steady On (Arrow) | |
| | 0806466 | | Lights, Backup, Wln M62BU, LED, For Tail Lt Housing | 1 |
| 173 | 0889577 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt | 1 |
| 474 | 0550040 | | Color, Trim - Chrome Housing | 4 |
| | 0556842 0589905 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| _ | | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| | 0687604 0617866 | | Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt | 1 |
| | 0683575 | | Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts | 1 1 |
| 170 | 0003373 | | Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step | ' |
| 179 | 0896454 | | Control, Perimeter Lts - Parking Brake Applied Enhanced Software for Perimeter Lts | 1 |
| | 0556360 | | Lights, Step, P25 LED 4lts, Pump Pnl Sw | 1 |
| | 0097930 | | Housing, Light, Painted Blister | 2 |
| 101 | 0007000 | | Location, Lights - side of body, one each side, upper rear corner, for | _ |
| | | | HiViz scene lights. | |
| | | | Qty, - 02 | |
| 182 | 0776357 | | Light, Visor, WIn, 12V P*H2* Pioneer, Cnt Feature, 1st | 1 |
| | | | Qty, - 01 | |
| | | | Location, driver's/passenger's/center - Centered | |
| | | | Color, WIn Lt Housing - Black Paint | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw | |
| | | | Panel PS | |
| 183 | 0736731 | | Scene Light Optics - Flood/Spot Lights, HiViz FT-GESM LED 1st | 1 |
| | 0.00.0. | | Location - cab middle up high LS | • |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw | |
| | | | Panel PS | |
| | | | Color, Lt Housing HiViz - Blk Opt Hold, Blk Bez, Blk Fix | |
| 184 | 0736729 | | Lights, HiViz FT-GESM LED 2nd | 1 |
| | | | Location - cab middle up high RS | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw | |
| | | | Panel PS Color, Lt Housing HiViz - Blk Opt Hold, Blk Bez, Blk Fix | |
| 185 | 0733343 | | Lights, HiViz FT-GESM* LED 1st | 1 |
| .00 | | | Location - body upper rear to match last unit LS | • |
| | | | Location body appointed to material act will Lo | |
| | | | | |

| Line (| Option | Туре | Option Description | Qty |
|--------|--------------------|----------|--|--------|
| 185 | | | Qty, - 01 | |
| | | | Control, Scene Lts - LS Scene Lts | |
| 106 (| 0733336 | | Color, Lt Housing HiViz - Blk Opt Hold, Blk Bez, Blk Fix | 1 |
| 100 (| 3733330 | | Lights, HiViz FT-GESM* LED 2nd | 1 |
| | | | Location - body upper rear to match last unit RS Qty, - 01 | |
| | | | Control, Scene Lts - RS Scene Lts | |
| | | | Color, Lt Housing HiViz - Blk Opt Hold, Blk Bez, Blk Fix | |
| 187 (| 0733239 | | Lights, HiViz FT-GESM* LED 3rd | 1 |
| | | | Location - rear left side upper | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - Cab Sw Panel DS and Body Switch, PS Rear SS | |
| 188 (| 0532358 | | Color, Lt Housing HiViz - Blk Opt Hold, Blk Bez, Blk Fix Not Required, Deck Lights, Other Hose Bed & Rear Lighting | 1 |
| | 0602780 | | Lights, Not Required, Hose Bed, Non-NFPA 2016 | 1 |
| | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 191 (| 0709438 | | Lights, Walk Surf, FRP Flood, LED | 1 |
| 192 (| 0060115 | | Pumper, Medium, Aluminum, 2nd Gen | 1 |
| 193 (| 0554271 | | Body Skirt Height, 20" | 1 |
| 194 (| 0013492 | | Tank, Water, 750 Gallon, Poly, Med, New York Style | 1 |
| 195 (| 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 196 (| 0028107 | | Not Required, Foam Cell Modification | 1 |
| 197 (| 0074425 | | Modified Poly Tank for Equipment Storage Rack | 1 |
| 198 (| 0633066 | | Sleeve, Through Tank | 1 |
| | | | Qty, Sleeve - 1 | |
| 100.0 |)EE272E | | Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing | 4 |
| | 0553725 0003429 | | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export | 1 1 |
| | 0003429 | | Not Required, Direct Tank Fill Not Required, Dump Valve | 1 |
| | 0048710 | | Not Required, Jet Assist | 1 |
| | 0030007 | | Not Required, Dump Valve Chute | 1 |
| | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| | 0618241 | | Hose Bed, Aluminum, Pumper, New York Style | 1 |
| | | | Material Trim/Scuffplate - b) S/S, Brushed | - |
| 206 (| 0723549 | | Painted Hose Bed | 1 |
| | | | Paint Color, Hose Bed Interior - Match Lower Body | |
| | 0627877 | | Hose Bed Capacity, 1000' of 5.00", 1000' of 3.00" | 1 |
| 208 (| 0083488 | | Divider, Hose Bed, .25" Unpainted | 2 |
| 200 0 | 0500070 | | Qty, Hosebed Dividers - 2 | 4 |
| 209 (| 0589278 | | Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear | 1 |
| | | | Type of fastener - seat belt buckle Nylon Web Color - Black | |
| | | | Type of fastener, Rear - 2" cam buckle - bottom of hosebed | |
| 210 (| 0531457 | | Reinforcement, Front Body Sheet Cross-Divider, Severe Duty, Aluminum Body | 1 |
| 211 (| 0076724 | | Running Boards, Bustin Bar Grating, Type N | 1 |
| 212 (| 0689497 | | Tailboard, 24" & 8" Deep, T-Shaped, Angled Corners | 1 |
| 213 (| 0690037 | | Wall, Rear, Smooth Aluminum/Body Material | 1 |
| | | | Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate | |
| | 0889214 | | Tow Eyes, w/Tow Bar, 2G Pumper | 1 |
| 215 (| 0590926 | | Hose Restraint, Running Board, Velcro Straps | 1 |
| | | | Location, Hose Tray, Running Board - Right Side | |
| 216 (| 0014112 | | Qty, Tray, Hose - 1 Tray, Hose, Running Board, Special Capacity, Predefined | 1 |
| 210 0 | 3014112 | | Location, Hose Tray, Running Board - Right Side | ' |
| | | | Qty, Tray, Hose - 1 | |
| | | | Capacity, Hose Tray (Predefined) - 30' of 5" | |
| 217 (| 0895820 | | Construction, Compt, Alum, 2G Pumper | 1 |
| | 0023650 | | LS 152" Rollup, Full Height Front & Rear, FDLER | 1 |
| 219 (| 0063658 | | RS 152" Rollup, Full Height Front & Rear, FDLER | 1 |
| 220 (| 0692733 | | Doors, Rollup, Gortite, Side Compartments | 6 |
| | | | Qty, Door Accessory - 06 | |
| | | | | |
| | | | · · · · · · · · · · · · · · · · · · · | |
| 0/4 | 2/2022 0:44 | . | Qty, Door Accessory - 06 Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |

| Line (| Option | Туре | Option Description | Qty |
|--------|----------------------|------|---|-----|
| 221 (| 0013671 | | Compt, Rear, Rollup, 30.75" FF, 25.88" D | 1 |
| 222 (| 0692746 | | Door, Gortite, Rollup, Rear Compartment | 1 |
| | | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| | 0554995 | | No Body Modification Required | 1 |
| 224 (| 0019845 | | Guard, Drip Pan, S/S, Rollup Door | 7 |
| | | | Qty, Door Accessory - 07 | |
| 225 (| 0616670 | | Location, Door Accessory - all body compartments. Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker | 7 |
| 223 (| 0010070 | | | , |
| | | | Qty, - 07 Location, Compartment Lights - All Body Compts | |
| 226 (| 0687146 | | Shelf Tracks, Painted | 4 |
| | | | Qty, Shelf Track - 04 | |
| | | | Location, Shelf Track - LS1, LS3, RS1 and RS3 | |
| 227 (| 0600350 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations | 4 |
| | | | Qty, Shelf - 04 | |
| | | | Material Finish, Shelf - Painted - Spatter Gray | |
| | | | Location, Shelves/Trays, Predefined - RS3-Upper Third, RS1-Upper | |
| 220 (| 0647091 | | Third, LS3-Upper Third and LS1-Upper Third | 2 |
| 220 (| 0047091 | | Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides | 2 |
| | | | Qty, - 02 Location, Tray Slide-Out, Floor Mounted - RS1 and LS1 | |
| | | | Material Finish, Tray - Painted - Spatter Gray | |
| 229 (| 0004016 | | Rub Rail, Aluminum Extruded, Side of Body | 1 |
| 230 (| 0784809 | | Fender Crowns, Rear, Rubber, w/Removable Liner | 1 |
| | | | Material Finish, Fender Liner - Brushed Stainless | |
| 231 (| 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 232 (| 0778411 | | Handrails, Side Pump Panels, Per Print, Hansen Knurled Alum Tubing, Black | 1 |
| 233 (| 0778409 | | Handrails, Beavertail, Standard, Hansen Tubing, Knurled Aluminum, Black | 1 |
| 234 (| 0610196 | | Handrail, Rear, Above Hose Bed, New York Style/Low Hose Bed | 1 |
| | | | Handrail Finish - Black Rubber Covered | |
| | | | Reinforcement, Hose Bed Divider - Tied to Upper Handrail/Crossbar | |
| 235 (| 0754312 | | Handrail, Extra - 10" Long, Hansen Tubing, Knurled Aluminum, Black | 1 |
| | | | Location, Handrails - driver side body flange of cargo compartment. | |
| 226 (| 0636301 | | Qty, Handrails - 01 Compt, Extinguisher (2) Fender Panel, Triangular Door, 8" Dia | 2 |
| 230 (| 0030301 | | Location, Bracket/comp TBD | 2 |
| | | | Qty, - 02 | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Latch, Air Bottle Compt - Southco C2 Black Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 237 (| 0601759 | | Compt, Air Bottle, Triple, Fender Panel, Flanged Door | 2 |
| | | | Qty, Air Bottle Comp - 2 | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Location, Fender Compt - Triple - RS Rear | |
| | | | Latch, Air Bottle Compt - Southco C2 Black Raised Insert, Air Bottle Compt - Rubber Matting | |
| 238 (| 0004225 | | Ladder, 24' Duo-Safety 900A 2-Section | 1 |
| | 0635956 | | Ladder, 14' Duo-Safety 775-DR Roof | 1 |
| | | | Qtv 01 | |
| 240 (| 0598395 | | Ladders/Backboard Btwn Tank & S.Sht, RS, Ext'd Rr, Encl'd Complete, RPH | 1 |
| | | | Size, Backboard - add two pike pole holders | |
| | | | Material Trim/Scuffplate - h) Alum, Smooth | |
| | | | Door, Material & Finish, Ladder Storage - smooth aluminum | |
| | | | Latch, Door Ladder Storage - D-Handle latch | |
| 2/11 | 0733387 | | Hinge Location - Right Side Ladder, 10' Duo-Safety Folding 585A | 1 |
| | 0789534 | | Pike Pole, 8' DUO Safety, Fiberglass | 1 |
| Z7Z (| 57 0000 1 | | Qty, Pike Poles - 1 | ' |
| 243 (| 0733370 | | Pike Pole, 6' DUO Safety, Fiberglass | 1 |
| | | | Qty, Pike Poles - 1 | • |
| 244 (| 0004361 | | Tubes, Alum, Pike Pole Storage | 2 |
| | | | Qty, Pike Pole Tubes - 02 | |
| | | | Location, Pike Pole Tube - Ladder Storage | |
| | | | | |

9/13/2023 9:44 AM Bid #: 1169

| Line Option | Туре | Option Description | Qty |
|----------------------------|------|--|--------|
| 245 0785102 | | Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident | 1 |
| | | Coating, Step - black | |
| 0.40, 0.50000.4 | | Location, Steps - Full Height Left Side w/LED Light | |
| 246 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident | 1 |
| 247 0007575 | | Coating, Step - black | 1 |
| 247 0007575 248 0037731 | | Pump House, Side Control, 48", Control Zone Pump House Structure, Raised, Included with Ladder Storage | 1 1 |
| 249 0004425 | | Pump, Waterous, CSU, 1500 GPM, Single Stage | 1 |
| 250 0004423 | | Seal, Grafoil, Waterous | 1 |
| 251 0816447 | | Trans, Pump, Waterous C22 Series | 1 |
| 252 0635600 | | Pumping Mode, Stationary Only | 1 |
| 253 0605126 | | Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous | 1 |
| 254 0003148 | | Transmission Lock-up, EVS | 1 |
| 255 0004547 | | Auxiliary Cooling System | 1 |
| 256 0014486 | | Not Required, Transfer Valve, Single Stage Pump | 1 |
| 257 0777650 | | Valve, Relief Intake, Akron | 1 |
| | | Pressure Setting - 125 psig | |
| | | Intake Relief Valve Control - Behind Right Side Pump Panel | |
| 258 0794959 | | Controller, Pressure, Pierce, Pump Boss, PBA300 | 1 |
| 259 0072153 | | Primer, Trident, Air Prime, Air Operated | 1 |
| 260 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 261 0602512 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone | 1 |
| 262 0089437 | | Plumbing Without Foam System | 1 |
| 263 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 264 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 265 0084610 | | Valves, Akron 8000 series- All | 1 |
| 266 0016158 | | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" | 1 |
| | | Qty, Inlets - 1 | |
| 267 0004700 | | Control, Inlet, at Valve | 1 |
| 268 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 269 0029147 | | Not Required, Inlet, Right Side | 1 |
| 270 0897257 | | Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper | 1 |
| | | Inlet, Size - Five | |
| | | Drain, Suction - T Swing Handle | |
| | | Inlet, Front, Valve - Jamesbury 5.00" Inlet, Front, Plumbing - Stainless Steel | |
| 271 0014823 | | Control, Front Inlet, Electric, w/Indicator Lights | 1 |
| 272 0755136 | | Valve, Relief Intake, Front Inlet, Elkhart | 1 |
| | | Pressure Setting - 125 psig | |
| 273 0732444 | | Swivel, Front Inlet, 4.00" to 6.00", w/Drain | 1 |
| | | Inlet, Size - 5.00" Inlet | |
| | | Inlet Bleeder - Quarter-Turn Style Bleeder | |
| | | Finish, Front Inlet Elbow/Adapter - Chrome | |
| 274 0004788 | | Cap, Front Inlet, Long Handle, VLH | 1 |
| 275 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 276 0064116 | | No Rear Inlet Actuation Required | 1 |
| 277 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 278 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 279 0586174 | | Provision, Front Inlet | 1 |
| 280 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 281 0723049 | | Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle | 1 |
| 282 0029043 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 |
| 283 0004905 | | Outlet, Tank Fill, 1.50" | 1 |
| 284 0062133 | | Control, Outlets, Manual, Pierce HW if applicable | 1 1 |
| 285 0025045 | | Not Required, Outlet, Left Side | 1 |
| 286 0055095 | | Not Required, Cutlets, Left Side Outlets, 2.50" | 1 |
| 287 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 288 0035094 | | Not Required, Elbow, Left Side Outlets, Additional Outlet Right Side, 2.50" | 2 |
| 289 0004945 | | Outlet, Right Side, 2.50" | 2 |
| 290 0025091 | | Qty, Discharges - 02 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 291 0550252 | | Outlet, Right Side, 4" w/3" Plumbing, Handwheel Control, (added) | 1 |
| | | Dia 4. 1160 | ' |

9/13/2023 9:44 AM Bid #: 1169

| Line | Option | Туре | Option Description | Qty |
|--------------|---------|------|--|-----|
| 292 | 0035102 | | Elbow, Right Side Outlets, 45 Degree, 3.00" FNST x 2.50" MNST, VLH, Additional | |
| | | | Qty, Discharges - 01 | |
| | 0029137 | | Not Required, Outlet, Large Diameter | 1 |
| | 0007308 | | Not Required, Elbow, Large Diameter Outlet | 1 |
| | 0092572 | | Not Required, Outlet, Front | 1 |
| 296 | 0004995 | | Outlet, Rear, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| 207 | 0045004 | | Location, Outlet - b) left side | 4 |
| | 0045091 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| | 0092574 | | Not Required, Outlet, Rear, Additional | 1 |
| | 0085695 | | Not Required, Elbow, Rear Outlets, Large, Additional | 1 |
| | 0092573 | | Not Required, Outlet, Hose Bed/Running Board Tray | 1 |
| | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| | 0723042 | | Valve, 0.75" Bleeder, Discharges, "T" Swing Handle | 1 |
| | 0090927 | | Outlet, 3.00" Deluge w/TFT Extend-a-Gun XG18 | 1 |
| 304 | 0770359 | | No Monitor Requested, Customer/Dealer Furnished and Installed | 1 |
| 305 | 0029304 | | Fill in Blank No Nozzle Reg'd | 1 |
| | 0029304 | | Deluge Mount, NPT | 1 |
| | 0723726 | | | 1 |
| | 0723726 | | Speedlay Module Not Required Hose Restraint Not Required, No Speedlay Module | 1 |
| | 0722432 | | · · · · · · · · · · · · · · · · · · · | 1 |
| | | | Speedlays, Not Required | |
| | 0723394 | | Speedlays, Not Required Creatleys Speed Shoot Unpointed (2+) 1 50" Std. Con | 1 |
| 311 | 0029167 | | Crosslays Sngl Sheet Unpainted, (2+) 1.50", Std. Cap | 2 |
| 212 | 0090442 | | Qty, Crosslays - 2 Crosslays Sngl Sheet Unpainted, (1) 2.50" Std Cap | 1 |
| | 0625777 | | Hose Rest, Crosslays, 2" Nylon Web, Seat Belt Buckle in Corner, Tether, Sides | 3 |
| 313 | 0023777 | | | 3 |
| 314 | 0029260 | | Qty, - 03 Not Required, Speedlays | 1 |
| | 0750536 | | Hose Restr, Spdly, Not Required, No Spdly | 1 |
| | 0590891 | | Hose Restraint, Crosslay/Deadlay, Velcro Straps, Top | 3 |
| 310 | 0390091 | | | 3 |
| 317 | 0075205 | | Qty, - 03 Cover, Crosslay, Bi-fold Alum, Hinge @ Rear | 1 |
| | 0019853 | | Crosslays, 8.00" Lower Than Standard - Control Zone w/9.00" Raised PH | 1 |
| | 0044333 | | Not Required, Foam System | 1 |
| | 0012126 | | Not Required, CAF Compressor | 1 |
| | 0552517 | | Not Required, Refill, Foam Tank | 1 |
| | 0042573 | | Not Required, Foam System Demonstration | 1 |
| | 0045465 | | Not Required, Foam Tanks | 1 |
| | 0091110 | | Not Required, Foam Tank Drain | 1 |
| | 0091110 | | Not Required, Foam Tank #2 | 1 |
| | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| | 0738072 | | Approval Dwg, Pump Panel(s), Not Required | 1 |
| | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| | 0629252 | | Material, Pump Panels, Side Control Black Vinyl | 1 |
| J <u>2</u> 9 | 0023232 | | • | ' |
| | | | Material Finish, Pump Panel, Side Control - Black Vinyl Material, Pump Panel, Side Control - Aluminum | |
| 330 | 0721765 | | Panel, Pump Access - Right Side Only, Side Control | 1 |
| 230 | J | | Latch, Pump Panel Access, Side Mount - Swell Latch, Black | |
| 331 | 0005945 | | Light, Pump Compt | 1 |
| | 0586382 | | Gauges, Engine, Included With Pressure Controller | 1 |
| | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| | 0757359 | | Gauge, Water Level, Class 1, Remote Module Driver | 1 |
| 553 | 3101000 | | Activation, Water Level G - pg) pump in gear | ' |
| 340 | 0006774 | | Not Required, Foam Level Gauge | 1 |
| | 0593161 | | Light Shield, S/S LED | 1 |
| 011 | 3000101 | | | |

| Line Option | Туре | Option Description | Qty |
|-------------|------|---|-----|
| 342 0730329 | | Air Horns, (2) Buell, In Bumper | 1 |
| 343 0606835 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7) | 1 |
| 344 0757092 | | Control, Air Horn, Multi Select | 1 |
| 345 0757084 | | Control, Air Horn, Horn Ring | 1 |
| 346 0688049 | | Siren, Federal EQ2B-200, 200 Watt | 1 |
| 347 0510206 | | Location, Elect Siren, Recessed Overhead In Console | 1 |
| | | Location, Elec Siren - Overhead, Above Eng Tunnel DS | |
| 348 0748306 | | Control, Elec Siren, Multi Select | 1 |
| 349 0748293 | | Control, Elec Siren, Ft Sw, RS | 1 |
| 350 0550171 | | Speaker, (1) Federal, BP200-Q | 1 |
| 351 0601555 | | Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame, Outbrd (Pos 7) | 1 |
| 352 0652843 | | Siren, Aux, Wln 295SLSC1, 100 or 200 Watt w/Detachable Mic Cord | 1 |
| 353 0686329 | | Control, Aux Electric Siren, Siren Head | 1 |
| 354 0686832 | | Location, Aux Elect Siren, Overhead DS | 1 |
| 355 0622205 | | Speaker, Aux, Siren, Federal ES100C, ESFMT-EF Recess Mnt w/Grille | 1 |
| | | Qty, - 01 | |
| 356 0687954 | | Location, Aux Siren Speaker, Frt Bumper, Recess, RS, Outside Frame, Inbrd (Pos | 1 |
| 357 0746353 | | 2) Not Required, Warning Lights Intensity | 1 |
| 358 0779753 | | Lightbar, Wln, Freedom IV-Q, 81", RRRRWRRRStrRRRWRRRR | 1 |
| 330 0779733 | | Filter, WhI Freedom Ltbrs - No Filters | |
| 359 0790846 | | Power Supply, Win PE215 Traffic Light Controller, Single Strobe Tube | 1 |
| 000 0700010 | | Opticom Priority - b) High | · |
| | | Opticom Activation - Cab Switch & E-Master | |
| | | Momentary Opticom Activation - No Activation | |
| 360 0898734 | | Light, Front Zone, Wĺn M6** M6** M6** Q Bzl | 1 |
| | | Color, Lens, LED's - Clear | |
| | | Color, Lt DS Frnt Outside - Left Red | |
| | | Color, Lt PS Frnt Outside - Right Red | |
| | | Color, Lt DS Front Inside - Left Red | |
| | | Color, Lt PS Front Inside - Right Green | |
| 361 0558676 | | Color, Q Bezel and Trim - Polished Chrome Daytime Running Lights, Headlights, Qtm, Vel/Imp, Enf/AXT-MUX, DCF (Low | 1 |
| 301 0330070 | | Beam) | ' |
| 362 0653937 | | Flasher, Headlight Alternating | 1 |
| | | Headlt flash deactivation - a)w/high beam | |
| 363 0622944 | | Lights, Side Zone Lower, Wln M6V2** Warning & Scene, 3pr, Ovr 25 | 1 |
| | | Location, Lights Mid - cab mid | |
| | | Location, Lights Rear - rear tire | |
| | | Location, Lights Front Side - b)each side bumper | |
| | | Color, Lens, LED's - Clear | |
| | | Color, Lt Side Front - Red | |
| | | Color, Lt Side Middle - Blue Color, Lt Side Rear - Red | |
| | | Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS, Cab and | |
| | | Crew Cab Dr Sw, DS, Cab and Crew Cab Dr Sw, PS and Directional Light - | |
| | | Respective | |
| 364 0540783 | | Lights, Rear Zn Lwr, Wln M6*C LED | 1 |
| | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| 265 0624047 | | Color, Lt PS Rear - r) PS Rear Lt Red | 4 |
| 365 0621947 | | Light, Rear Zone Up, Wln Rota-Beam R316*F LED Beacon, Color Lens | 1 |
| 366 0006551 | | Color, Lts, Rear Zone Upper - r)red Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 367 0006615 | | Mounting, Rear Warn Lights, On Top of Compartment | 1 |
| 368 0814953 | | Location, Body, Inverter, LS Forward Compartment | 1 |
| 300 0014803 | | Location, Comp Body - High On Back Wall | 1 |
| 369 0781579 | | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab | 3 |
| 333 3701070 | | Qty, - 03 | 3 |
| | | Location 1 - forward facing EMS compartment, upper right corner TBD | |
| | | AC Power Source - Shoreline | |
| | | Cover, Receptacle - Interior SS Wall Plate(s) | |
| 370 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 371 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 372 0649736 | | Not Required, Hydraulic Tools | 1 |
| | | 71.1.1.1100 | |

| Line | Option | Туре | Option Description | Qty |
|------|--------------------|-------|--|--------|
| | 0007150 | .,,,, | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| | 0602516 | | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department | 1 |
| | 0602407 | | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification | 1 |
| | 0027023 | | No Strainer Required | 1 |
| | 0602538 | | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department | 1 |
| | 0602360 | | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept | 1 |
| | 0602679 | | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| | 0602667 | | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| | 0741569 0709846 | | Paint Process / Environmental Requirements, Appleton Paint, Two-Tone Color, Velocity/Impel | 1 1 |
| | | | Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break | |
| 383 | 0709845 | | Paint, Single Color, Body | 1 |
| 20.4 | 0646007 | | Paint, Body - Match Lower Cab | , |
| 384 | 0646897 | | Paint Chassis Frame Assy, E-Coat, Standard | 1 |
| 205 | 0000707 | | Paint Color, Frame Assembly, Predefined - Standard Black | 4 |
| | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 386 | 0687653 | | Paint, Rear Wheels, Single Axle, Alum-Stl | 1 |
| 207 | 0722720 | | Paint, Wheels - Black #101 | 4 |
| 387 | 0733739 | | Paint, Axle Hubs | 1 |
| 388 | 0007230 | | Paint, Axle Hub - Lower Job Color Compartment, Painted, Spatter Gray | 1 |
| | 0544124 | | Reflective Band, 1"-4"-1" | 1 |
| 390 | 0510041 | | Color, Reflect Band - A - e) black Color, Reflect Band - B - p) black Color, Reflect Band - C - za) black Reflective across Cab Face, Imp/Vel | 1 |
| 391 | 0536954 | | Stripe, Chevron, Rear, Diamond Grade, Pumper | 1 |
| 392 | 0593225 | | Color, Rear Chevron DG - fluorescent yellow green Stripe, Reflective, Cab Doors Interior, Diamond Grade | 1 |
| | | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| 393 | 0027286 | | Not Required, Lettering Specs | 1 |
| 394 | 0007472 | | [Lettering not Requested] | 1 |
| 395 | 0686199 | | Lettering, Gold Leaf, 10.00", (41-60) | 1 |
| 396 | 0686195 | | Outline, Lettering - Outline and Shade Lettering, Gold Leaf, 11.00", (41-60) | 1 |
| | | | Outline, Lettering - Outline and Shade | |
| 397 | 0583553 | | Undercoating, Cab & Body, Stock/Demo Style, Pumper, Ziebart | 1 |
| 398 | 0772003 | | Manual, Fire Apparatus Parts, USB Flash Drive, Custom | 1 |
| 399 | 0772037 | | Qty, - 01 Manual, Chassis Service, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 400 | 0773381 | | Manual, Chassis Operation, (1) USB Flash Drive, Custom | 1 |
| 401 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 402 | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 |
| 403 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 404 | 0684952 | | Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202 | 1 |
| 405 | 0595767 | | Warranty, Frame, 50 Year, Velocity/Impel, WA0038 | 1 |
| 406 | 0610471 | | Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor | 1 |
| 407 | 0733306 | | Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 408 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 409 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 410 | 0814378 | SP | Warranty, Paint, 10 Year, Cab, WA0054 | 1 |
| 411 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 412 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| – | | | Warmant Bione LED Othin Links WA 2000 | 4 |
| | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |

| Line | Option | Туре | Option Description | Qty |
|------|---------|------|--|-----|
| 415 | 0685945 | - | Warranty, Transmission Cooler, WA0216 | 1 |
| 416 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 417 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 418 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 419 | 0734463 | | Warranty, Pump, Waterous, 7 Year Parts, WA0382 | 1 |
| 420 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 |
| 421 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 422 | 0804162 | SP | Warranty, Paint, 10 Year, Body, WA0056 | 1 |
| 423 | 0593921 | | Not Required, Warranty, No Lettering | 1 |
| 424 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 425 | 0808580 | | Certification, Engine Installation, Imp/Vel, Cummins X10, 2027 | 1 |
| 426 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 427 | 0892701 | | Certification, Cab Integrity, Impel/Velocity FR, CD0190 | 1 |
| 428 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 |
| 429 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 | 1 |
| 430 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 |
| 431 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 |
| 432 | 0735950 | | Certification, Cab HVAC System Perf, Vel/Imp FR, | 1 |
| /133 | 0545073 | | CD0166/CD0168/CD0176/CD0177 Amp Draw Report, NFPA Current Edition | 1 |
| | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| | 0799247 | | Appleton/Florida Stock Unit | 1 |
| | 0000018 | | PUMPER, 2ND GEN | 1 |
| | 0000010 | | PIERCE CHASSIS | 1 |
| | 0004713 | | ENGINE, OTHER | 1 |
| | 0046396 | | EVS 4000 Series TRANSMISSION | 1 |
| | 0020011 | | WATEROUS PUMP | 1 |
| | 0020009 | | POLY TANK | 1 |
| | 0028047 | | NO FOAM SYSTEM | 1 |
| | 0020006 | | SIDE CONTROL | 1 |
| | 0020007 | | AKRON VALVES | 1 |
| | 0020014 | | FRONT SUCTION | 1 |
| | 0020015 | | ABS SYSTEM | 1 |
| | 0658751 | | PUMPER BASE | 1 |

Exhibit B Campaign Disclosure Certificate

The Campaign Disclosure Certificate is required pursuant to the Village of Downers Grove Council Policy on Ethical Standards and is applicable to those campaign contributions made to any member of the Village Council.

Said Campaign Disclosure Certificate requires any individual or entity bidding to disclose campaign contributions, as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4), made to current members of the Village Council within the five (5) year period preceding the date of the bid or proposal release.

By signing this Agreement, Consultant agrees to refrain from making any campaign contributions as defined in Section 9-1.4 of the Election Code (10 ILCS 5/9-1.4) to any Village Council member and any challengers seeking to serve as a member of the Downers Grove Village Council.

| and any chall | engers seeking to serve as a member of | of the Downers Grove Village Council. | |
|---------------|---|--|--|
| Under penalty | y of perjury, I declare: | | |
| | Consultant has <u>not</u> contributed last five (5) years. | ted to any elected Village position within the | |
| | Grea Hinkers Signature | Greg Hinkens Print Name | |
| | Consultant has contributed a campaign contribution to a currenthe Village Council within the last five (5) years. | | |
| | Print the following information: Name of Contributor: | (company or individual) | |
| | | (company or individual) | |
| | To whom contribution was made: _ | | |
| | Year contribution made: | Amount: \$ | |
| | Signature | Print Name | |